Index of Authors

ADEMBA, G. R. *see* BELL, T. M.

ALWAR, J. E. A. *see* BELL, T. M.

ANDERSON, R. M. *see* GRENFELL, B. T.

ARAYA, M., FIGUEROA, G., ESPINOZA, J., MONTESINOS, N., SPENCER, E. and BRUNSER, O. Acute diarrhoeal disease in children under 7 years of age in a peri-urban slum of Santiago, Chile, 457

BAILEY, C. L. SEE LINTHICUM, K. J.

BALL, H. J. and MACKIE, D. P. The ovine mammary gland as an experimental model to determine the virulence of animal ureaplasmas, 375

BARKER, RUTH M. Utilization of *d*-tartaric acid by *Salmonella paratyphi B* and *Salmonella java*: comparison of anaerobic plate test, lead acetate test and turbidity test, 107

BARUZZI, R. G. *see* NASCIMENTO, J. P.

BASKERVILLE, A. *see* JEPRAS, R. I.

BAXBY, D., HART, C. A. and BLUNDELL, N. Shedding of oocysts by immunocompetent individuals with cryptosporidiosis, 703

BECKERS, H. J., VAN LEUSDEN, F. M. and TIPS, P. D. Growth and enterotoxin production of *Staphylococcus aureus* in shrimp, 685

BELL, T. M., TUKEI, P. M., ADEMBA, G. R., MBUGUA, F. M., GATHARA, G. W., MAGANA, J. M., KINYANJUI, P., MULI, J., HAZLETT, D. T. G., ALWAR, J. E. A., KIPTOON, P. C., KIRETI, V. N. M., WAWERU, A., MWAVUO, R., MBOGO, M., THIONGO, B., KAMANDE, D., MUNYETI, T. and ORTEGA, J. Investigation of the effectiveness of measles vaccination in children in Kenya, 695

BIDWELL, D. E. *see* KANYI KIBE, M.

BISICCHIA, R., CIAMMARUGHI, R., CAPRIOLI, A., FALBO, V. and RUGGERI, F. M. Toxin production and haemagglutination in strains of *Escherichia coli* from diarrhoea in Brescia, Italy, 353

BLOWERS, R. *see* LIDWELL, O. M.

BLUNDELL, N. *see* BAXBY, D.

BOLTON, F. J., DAWKINS, H. C. and HUTCHINSON, D. N. Biotypes and serotypes of thermophilic campylobacters isolated from cattle, sheep and pig offal and other red meats, 1

BOTZENHART, K. *see* HEIZMANN, W.

BRADFIELD, A. *see* ROWE, F. P.

BRISCOE, J. H. D. Persistent streptococcal throat infection in a preparatory school for boys, 671

BROWN, W. *see* WATKINS, I. D.

BRUNSER, O. *see* ARAYA, M.

BUCKLE, A. P. Field trials of a new sub-acute rodenticide flupropadine, against wild Norway rats (*Rattus norvegicus*), 505

BURKHARDT, F. *see* REIGEL, F.

CALLOW, KATHLEEN A. Effect of specific humoral immunity and some non-specific factors on resistance of volunteers to respiratory coronavirus infection, 173

CAPRIOLI, A. *see* BISICCHIA, R.

CARROLL, P. J. and FRANCIS, P. G. The basic phage set for typing bovine staphylococci, 665

CHRISTENSEN, SVEN GADE *see* SKOVGAARD, NIELS

CHRONAS, G. *see* VASSILIADIS, P.

CHUGH, T. D. Transferable resistance to trimethoprim in enteric pathogens isolated in Kuwait, 391

CIAMMARUGHI, R. *see* BISICCHIA, R.

CLARK, R. P., REED, P. J., SEAL, D. V. and STEPHENSON, M. L. Ventilation conditions and air-borne bacteria and particles in operating theatres: proposed safe economies, 325

COHEN, J. *see* ROGERS, M. J.

COLLINS, C. H., YATES, M. D. and UTTLEY, H. C. Differentiation of *Mycobacterium chelonei* from *M. fortuitum* by ciprofloxacin susceptibility, 619

COOKE, E. M. *see* PINEGAR, J. A.

Cooke, E. M. *Escherichia coli* – an overview, 523
Cooke, R. W. I. *see* Hensey, O. J.
Craven, J. A. *see* Morgan, I. R.

Dalziel, R. W. *see* Manser, P. A.
Daniel, J. *see* Patel, J. R.
Datta, N. *Escherichia coli* as a genetic tool, 611
Davies, F. G. *see* Linthicum, K. J.
Davies, F. Glyn and Jessett, D. M. A study of the host range and distribution of antibody to Akabane virus (genus bunyavirus, family *Bunyaviridae*) in Kenya, 191
Dawkins, H. C. *see* Bolton, F. J.
Denisov, G. M. *see* Golubev, D. B.
Dennis, P. J. *see* Watkins, I. D.
Dolby, Jean M. *see* Newell, Diane G.
Döller, G. *see* Heizmann, W.
Dos Santos, Isabel L. *see* Schoub, Barry D.

Efstratiou, M. *see* Vassiliadis, P.
Espinoza, J. *see* Araya, M.

Falbo, V. *see* Bisicchia, R.
Figueroa, G. *see* Araya, M.
Fitzgeorge, R. B. *see* Jepras, R. I.
Fleischmann, K. *see* Heizmann, W.
Francis, P. G. *see* Carroll, P. J.
Fricker, C. R. *see* Girdwood, R. W. A.
Fricker, C. R., Quail, Elaine, McGibbon, Loraine and Girdwood, R. W. A. An evaluation of commercially available dehydrated Rappaport-Vassiliadis medium for the isolation of salmonellae from poultry, 337
Furr, Patricia M. *see* Taylor-Robinson, D.

Galitarov, S. S. *see* Golubev, D. B.
Gathara, G. W. *see* Bell, T. M.
Gilbert, R. J. *see* Stringer, M. F.
Gilbert, R. J. *see* Wieneke, Antonnette A.
Girdwood, R. W. A. *see* Fricker, C. R.
Girdwood, R. W. A., Fricker, C. R., Munro, D., Shedden, C. B. and Monoghan, P. The incidence and significance of salmonella carriage by gulls (*Larus* spp.) in Scotland, 229
Golubev, D. B., Karpukhin, G. I., Galitarov, S. S. and Denisov, G. M. Type A influenza (H2N2) viruses isolated in Leningrad in 1980, 493
Gulistani, A. W. *see* Skougaard, Niels
Gregory, M. *see* Hansman, D.
Grenfell, B. T. and Anderson, R. M. The estimation of age-related rates of infection from case notifications and serological data, 419
Gross, R. J. and Rowe, B., *Escherichia coli* diarrhoea, 531

Hallas, Gillian, The production of pyrogenic exotoxins by group A streptococci, 47
Hampson, D. J. *see* Hinton, M.
Hampson, Elizabeth *see* Hinton, M.
Hansman, D., Morris, S., Gregory, M. and McDonald, B. Pneumococcal carriage amongst Australian aborigines in Alice Springs, Northern Territory, 677
Haresnape, J. M., Lungu, S. A. M. and Mamu, F. D. A four-year survey of African swine fever in Malawi, 309
Hart, C. A. *see* Baxby, D.
Hart, C. A. *see* Hensey, O. J.
Hassall, J. E. *see* Stringer, M. F.
Hazenberg, M. P., Pennock-Schröder, A. M. and van de Merwe, J. P.. Binding to and antibacterial effect of aztreonam, temocillin, gentamicin and tobramycin on human faeces, 255

HAZLETT, D. T. G. *see* BELL, T. M.
HEIZMANN, W., BOTZENHART, K., DÖLLER, G., SCHANZ, D., HERMANN, G., and FLEISCHMANN, K. Brucellosis: serological methods compared, 639
HENSEY, O. J., HART, C. A. and COOKE, R. W. I. Serious infection in a neonatal intensive care unit: A two-year survey, 289
HERMANN, G. *see* HEIZMANN, W.
HINTON, M. The subspecific differentiation of *Escherichia coli* with particular reference to ecological studies in young animals including man, 595
HINTON, M., HAMPSON, D. J., HAMPSON, ELIZABETH and LINTON, A. H. The effects of oxytetracycline on the intestinal *Escherichia coli* flora of newly weaned pigs, 77
HOBORN, JAN and NYSTRÖM, BERTIL. Bacterial counts on fabrics: a comparative study of three methods, 403
HOMAN, E. J., TAYLOR, W. P., LORBACHER DE RUIZ, H. and YUILL, T. M. Bluetongue virus and epizootic haemorrhagic disease of deer virus serotypes in northern Colombian cattle, 165
HUGGINS, M. B. *see* WILLIAMS SMITH, H.
HUTCHINSON, D. N. *see* BOLTON, F. J.

JEPRAS, R. I., FITZGEORGE, R. B. and BASKERVILLE, A. A comparison of virulence of two strains of *Legionella pneumophila* based on experimental aerosol infection of guinea-pigs, 29
JESSETT, D. M. *see* DAVIES, F. GLYN
JOHNSON, SYLVIA *see* SCHOUB, BARRY D.

KAIRO, A. *see* LINTHICUM, K. J.
KALAPOTHAKI, V. *see* VASSILIADIS, P.
KAMANDE, D. *see* BELL, T. M.
KANIS, I. Y. R. *see* SIMOONS-SMIT, A. M.
KANYI KIBE, M., BIDWELL, D. E., TURP, P. and SMITH, G. R. Demonstration of cross-reactive antigens in F38 and related mycoplasmas by enzyme-linked immunosorbent assay (ELISA) and immunoblotting, 95
KARPUKHIN, G. I. *see* GOLUBEV, D. B.
KATO, E. *see* KUMAZAWA, N. H.
KINYANJUI, P. *see* BELL, T. M.
KIPTOON, P. C. *see* BELL, T. M.
KIRETI, V. N. M. *see* BELL, T. M.
KLAASSEN, KATALIN I. M. *see* SCHOUB, BARRY D.
KRAMER, J. M. *see* TURNBULL, P. C. B.
KRAUTIL, F. *see* MORGAN, I. R.
KRAWCZUK, M. M. *see* NASCIMENTO, J. P.
KUMAZAWA, N. H. and KATO, E. Survival of Kanagawa-positive strains of *Vibio parahaemolyticus* in a brackish-water area, 299
KURTZ, J. B. *see* WATKINS, I. D.

LEE, D. H., MILES, R. J. and PERRY, B. F. The mycoplasmacidal properties of sodium hypochlorite, 243
LIDWELL, O. M., LOWBURY, E. J. L., WHYTE, W., BLOWERS, R. and LOWE, D. Extended follow-up of patients suspected of having joint sepsis after total joint replacement, 655
LINTHICUM, K. J., DAVIES, F. G., KAIRO, A. and BAILEY, C. L. Rift Valley fever virus (family Bunyaviridae, genus *Phlebovirus*). Isolations from Diptera collected during an inter-epizootic period in Kenya, 197
LINTON, A. H. *see* HINTON, M.
LORBACHER DE RUIZ, H. *see* HOMAN, E. J.
LOWBURY, E. J. L. *see* LIDWELL, O. M.
LOWE, D. *see* LIDWELL, O. M.
LUNGU, S. A. M. *see* HARESNAPE, J. M.

MCANERNEY, JO M. *see* SCHOUB, BARRY D.
MCBRIDE, HAROLD *see* NEWELL, DIANE G.
MCGIBBON, LORAINE *see* FRICKER, C. R.

McDonald, B. *see* Hansman, D.
Mackie, D. P. *see* Ball, H. J.
MacLaren, D. M. *see* Simoons-Smit, A. M.
Magana, J. M. *see* Bell, T. M.
Mamu, F. D. *see* Haresnape, J. M.
Manser, P. A. and Dalziel, R. W. A survey of campylobacter in animals, 15
Marcopito, L. F. *see* Nascimento, J. P.
Mathan, V. I. *see* Patel, J. R.
Matthews, Julie, Slater, K. and Newsom, S. W. B. The effect of surgical gowns made with barrier cloth on bacterial dispersal, 123
Mavrommati, Ch. *see* Vassiliadis, P.
Mbogo, M. *see* Bell, T. M.
Mbugua, F. M. *see* Bell, T. M.
Miles, R. J. *see* Lee, D. H.
Monoghan, P. *see* Girdwood, R. W. A.
Montesinos, N. *see* Araya, M.
Moore, R. *see* Rogers, M. J.
Morgan, I. R., Krautil, F. and Craven, J. A. A comparison of swab and maceration methods for bacterial sampling of pig carcasses, 383
Morris, J. A. *see* Wray, C.
Morris, S. *see* Hansman, D.
Muli, J. *see* Bell, T. M.
Munro, D. *see* Girdwood, R. W. A.
Munro, D. S. *see* Reilly, W. J.
Munyeti, T. *see* Bell, T. M.
Murray, L. G. *see* Smith, G. R.
Mwavuo, R. *see* Bell, T. M.

Nascimento, J. P., Krawczuk, M. M., Marcopito, L. F. and Baruzzi, R. G. Prevalence of antibody against influenza A viruses in the Kren-Akorore, an Indian tribe of Central Brazil, first contacted in 1973, 159
Newell, Diane G., McBride, Harold and Dolby, Jean M. Investigations on the role of flagella in the colonization of infant mice with *Campylobacter jejuni* and attachment of *Campylobacter jejuni* to human epithelial cell lines, 217
Newnham, R. *see* Watkins, I. D.
Newsom, S. W. B. *see* Matthews, Julie
Nystrom, Bertil *see* Hoborn, Jan

Obituary: John Henry McCoy, 1913–1985
Old, D. C. *see* Reilly, W. J.
Oliphant, J. C. *see* Smith, G. R.
Orskov, F. *see* Orskov, I.
Orskov, I. and Orskov, F. *Escherichia coli* in extra-intestinal infections, 551
Ortega, J. *see* Bell, T. M.

Palmer, M. *see* Waitkins, Sheena A.
Patel, J. R., Daniel, J. and Mathan, V. I. An epidemic of acute diarrhoea in rural southern India associated with echovirus type 11 infection, 483
Pedgley, D. E. *see* Sellers, R. F.
Pennock-Schröder, A. M. *see* Hazenberg, M. P.
Perry, B. F. *see* Lee, D. H.
Pinegar, J. A. and Cooke, E. M. *Escherichia coli* in retail processed food, 39
Pyhälä, R. Antibody status to influenza A/Singapore/1/57 (H2N2) in Finland during a period of outbreaks caused by H3N2 and H1N1 subtype viruses, 437

Quail, Elaine *see* Fricker, C. R.

Reed, P. J. *see* Clark, R. P.
Reigel, F., Burkhardt, F. and Schilt, U. Cross-reactions of immunoglobulin M and G antibodies with enterovirus-specific viral structural proteins, 469

Reilly, W. J., Old, D. C., Munro, D. S. and Sharp, J. C. M. An epidemiological study of *Salmonella montevideo* by biotyping, 23
Roberts, C. *see* Wilkins, E. G. L.
Rogers, M. J., Moore, R. and Cohen, J. The relationship between faecal endotoxin and faecal microflora of the C57BL mouse, 397
Rousseau, S. A. and Tettmar, R. E. The serological diagnosis of *Mycoplasma pneumoniae* infection: a comparison of complement fixation, haemagglutination and immunofluorescence, 345
Rowe, B. *see* Gross, R. J.
Rowe, F. P., Bradfield, A. and Swinney, T. Pen and field trials of a new anticoagulant rodenticide flocoumafen against the house mouse (*Mus musculus* L.), 623
Rowe, F. P., Bradfield, A. and Swinney, T. Pen and field trials of flupropadine against the house mouse (*Mus musculus* L.), 513
Ruggeri, F. M. *see* Bisicchia, R.

Schanz, D. *see* Heizmann, W.
Schilt, U. *see* Reigel, F.
Schoub, Barry D., Johnson, Sylvia, McAnerney, Jo M., Dos Santos, Isabel L. and Klaasen, Katalin I. M. Epidemic Coxsackie B virus infection in Johannesburg, South Africa, 447
Seal, D. V. *see* Clark, R. P.
Sellers, R. F. and Pedgley, D. E. Possible windborne spread to Western Turkey of bluetongue virus in 1977 and of Akabane virus in 1979, 149
Sharp, J. C. M. *see* Reilly, W. J.
Sharp, J. C. M. *see* Sibbald, C. J.
Shedden, C. B. *see* Girdwood, R. W. A.
Sibbald, C. J. and Sharp, J. C. M. Campylobacter infection in urban and rural populations in Scotland, 87
Simoons-Smit, A. M., Verweij-van Vught, A. M. J. J., Kanis, I. Y. R. and MacLaren, D. M. Biochemical and serological investigations on clinical isolates of klebsiella, 265
Skovgaard, Niels, Christensen, Sven Gade and Gulistani, A. W.. Salmonellas in Danish pigs: a comparison of three isolation methods, 69
Slater, K. *see* Matthews, Julie
Smith, G. R. *see* Kanyi Kibe, M.
Smith, G. R., Turner, A., Murray, L. G. and Oliphant, Janet C. The weak immunogenicity of *Fusobacterium necrophorum*, 59
Special feature: *Escherichia coli*, 1885–1985
Spencer, E. *see* Araya, M.
Stephenson, M. L. *see* Clark, R. P.
Stringer, M. F., Watson, G. N., Gilbert, R. J., Wallace, J. G., Hassall, J. E., Tanner, E. I. and Webber, P. P. Faecal carriage of *Clostridium perfringens*, 277
Swinney, T. *see* Rowe, F. P.

Tanner, E. I. *see* Stringer, M. F.
Taylor-Robinson, D. and Furr, Patricia M. The interplay of host and organism factors in infection of the mouse genital tract by *Mycoplasma pulmonis*, 7
Taylor, W. P. *see* Homan, E. J.
Tettmar, R. E. *see* Rousseau, S. A.
Thiongo, B. *see* Bell, T. M.
Tips, P. D. *see* Beckers, H. J.
Tobin, J. O'H. *see* Watkins, I. D.
Tukei, P. M. *see* Bell, T. M.
Turnbull, P. C. B. and Kramer, J. M. Intestinal carriage of *Bacillus cereus*: faecal isolation studies in three population groups, 629
Turner, A. *see* Smith, G. R.
Turp, P. *see* Kibe, M. Kanyi

Uttley, H. C. *see* Collins, C. H.

VAN DE MERWE, J. P. *see* HAZENBERG, M. P.
VAN LEUSDEN, F. M. *see* BECKERS, H. J.
VASSILIADIS, P., MAVROMMATI, CH., KALAPOTHAKI, V., CHRONAS, G. and EFSTRATIOU, M. Salmonella isolation with Rappaport-Vassiliadis enrichment medium seeded with different sized inocula of pre-enrichment cultures of meat products and sewage polluted water, 139
VERWEIJ-VAN VUGHT, A. M. J. J. *see* SIMOONS-SMIT, A. M.

WAITKINS, SHEENA A., WANYANGU, S. and PALMER, M. The coypu as a rodent reservoir of leptospira infection in Great Britain, 409
WALLACE, J. G. *see* STRINGER, M. F.
WANYANGU, S. *see* WAITKINS, SHEENA A.
WATKINS, I. D., TOBIN, J. O'H., DENNIS, P. J., BROWN, W., NEWNHAM, R. and KURTZ, J. B. *Legionella pneumophila* serogroup 1 subgrouping by monoclonal antibodies – an epidemiological tool, 211
WATSON, G. N. *see* STRINGER, M. F.
WAWERU, A. *see* BELL. T. M.
WEBBER, P. P. *see* STRINGER, M. F.
WHYTE, W. *see* LIDWELL, O. M.
WIENEKE, ANTONNETTE A. and GILBERT, R. J. The use of a sandwich ELISA for the detection of staphylococcal enterotoxin A in foods from outbreaks of food poisoning, 131
WILKINS, E. G. L. and ROBERTS, C. Superficial tuberculous lymphadenitis in Merseyside: 1969–1984, 115
WILLIAMS SMITH, H. and HUGGINS, M. B. Acquisition of genes from an 018:K1:H7 ColV$^+$ strain of *Escherichia coli* renders intracranially-inoculated *E. coli* K12 highly virulent for chickens, ducks and guinea-pigs but not mice, 363
WRAY, C. and MORRIS. J. A. Aspects of colibacillosis in farm animals, 595

YATES, M. D. *see* COLLINS, C. H.
YUILL, T. M. *see* HOMAN, E. J.

Index of Subjects

African swine fever, a four-year survey of, in Malawi, 309
Akabane, a study of the host range and distribution of antibody to, virus (genus bunyavirus, family *Bunyaviridae*) in Kenya, 191
Akabane, possible windborne spread to Western Turkey of bluetongue virus in 1977 and of, virus in 1979, 149
Aztreonam, binding to and antibacterial effect of, temocillin, gentamicin and tobramycin on human faeces, 255

Bacillus cereus, intestinal carriage of: faecal isolation studies in three population groups, 629
Bacterial dispersal, the effect of surgical gowns with barrier cloth on, 123
Bluetongue, possible windborne spread to Western Turkey of, virus in 1977 and of Akabane virus in 1979, 149
Bluetongue virus and epizootic haemorrhagic disease of deer virus serotypes in northern Colombian cattle, 165
Brucellosis: serological methods compared, 639

Campylobacter, a survey of, in animals, 15
Campylobacter infection in urban and rural populations in Scotland, 87
Campylobacter jejuni, investigations on the role of flagella in the colonization of infant mice with *Campylobacter jejuni* and attachment of, to human epithelial cell lines, 217
Campylobacters, biotypes and serotypes of thermophilic, isolated from cattle, sheep and pig offal and other red meats, 1
Cattle, biotypes and serotypes of thermophilic campylobacters isolated from, sheep and pig offal and other red meats, 1
Ciprofloxacin, differentiation of *Mycobacterium chelonei* from *M. fortuitum* by, susceptibility, 619
Clostridium perfringens, faecal carriage of, 277
Colibacillosis, aspects of, in farm animals, 577
Coronavirus, effect of specific humoral immunity and some non-specific factors on resistance of volunteers to respiratory, infection, 173
Coxsackie B virus, epidemic, infection in Johannesburg, South Africa, 447
Coypu, as a rodent reservoir of leptospira infection in Great Britain, 409
Cryptosporidiosis, shedding of oocytes by immunocompetent individuals with, 703

Diarrhoea, an epidemic of acute, in rural southern India associated with echovirus type 11 infection, 483
Diarrhoea, *Escherichia coli*, 531
Diarrhoeal disease, acute, in children under 7 years of age in a peri-urban slum of Santiago, Chile, 457
Diarrhoea, toxin production and haemagglutination in strains of *Escherichia coli* from, in Brescia, Italy, 353
Diptera, Rift Valley fever virus (family Bunyaviridae, genus *Phlebovirus*). Isolations from, collected during an inter-epizootic period in Kenya, 197

Echovirus type 11, an epidemic of acute diarrhoea in rural southern India associated with, infection, 483
Endotoxin, the relationship between faecal, and faecal microflora of the C57BL mouse, 397
Enterovirus, cross-reactions of immunoglobulin M and G antibodies with, -specific viral structural proteins, 469
Epizootic haemorrhagic disease of deer, bluetongue virus and, virus serotypes in northern Colombian cattle, 165
Escherichia coli, 1885–1985, 521
Escherichia coli, acquisition of genes from an 018:K1:H7 ColV$^+$ strain of, renders intracranially-inoculated *E. coli* K12 highly virulent for chickens, ducks and guinea-pigs but not mice, 363

Escherichia coli – an overview, 523
Escherichia coli as a genetic tool, 611
Escherichia coli diarrhoea, 531
Escherichia coli in extra-intestinal infections, 551
Escherichia coli in retail processed food, 39
Escherichia coli, the effects of oxytetracycline on the intestinal flora of newly weaned pigs, 77
Escherichia coli, the sub-specific differentiation of, with particular reference to ecological studies in young animals including man, 595
Escherichia coli, toxin production and haemagglutination in strains of, from diarrhoea in Brescia, Italy, 353

Fabrics, bacterial counts on: a comparative study of three methods, 403
Faeces, binding to and antibacterial effect of aztreonam, temocillin, gentamicin and tobramycin on human, 255
Flocoumafen, pen and field trials of a new anticoagulant rodenticide, against the house mouse (*Mus musculus* L.), 623
Flupropadine, field trials of a new sub-acute rodenticide, against wild Norway rats (*Rattus norvegicus*), 505
Flupropadine, pen and field trials of, against the house mouse (*Mus musculus* L.), 513
Food, *escherichia coli* in retail processed, 39
Food poisoning, the use of a sandwich ELISA for the detection of staphylococcal enterotoxin A in foods from outbreaks of, 131
Fusobacterium necrophorum, the weak immunogenicity of, 59

Gentamicin, binding to and antibactieral effect of aztreonam, temocillin, and tobramycin on human faeces, 255
Group A streptococci, the production of pyrogenic exotoxins by, 47
Gulls, the incidence and significance of salmonella carriage by (*Larus* spp.) in Scotland, 229

Indian tribe, prevalence of antibody against influenza A viruses in the Kren-Akorore, an, of Central Brazil, first contacted in 1973, 159
Influenza A, antibody status to, /Singapore/1/57(H2N2) in Finland during a period of outbreaks caused by H3N2 and H1N1 subtype viruses, 437
Influenza A viruses, prevalence of antibody against, in the Kren-Akorore, an Indian Tribe of Central Brazil, first contacted in 1973, 159
Influenza, type A, (H2N2) viruses isolated in Leningrad in 1980, 493

Joint replacement, extended follow-up of patients suspected of having joint sepsis after total, 655
Joint sepsis, extended follow-up of patients suspected of having, after total joint replacement, 655

Klebsiella, biochemical and serological investigations on clinical isolates of, 265
Kren-Akorore, prevalence of antibody against influenza A viruses in the, an Indian tribe of central Brazil, first contacted in 1973, 159

Legionella pneumophila serogroup 1 subgrouping by monoclonal antibodies – an epidemiological tool, 211
Leptospira infection, the coypu as a rodent reservoir of, in Great Britain, 409

Meat products, salmonella isolation with Rappaport-Vassiliadis enrichment medium seeded with different sized inocula of pre-enrichment cultures of, and sewage polluted water, 139
Measles vaccination, investigation of the effectiveness of, in children in Kenya, 695
Mouse, pen and field trials of flupropadine against the house, (*Mus musculus* L.), 513
Mus musculus L., pen and field trials of a new anticoagulant rodenticide flocoumafen against the house mouse, 623
Mycobacterium chelonei, differentiation of, from *M. fortuitum* by ciprofloxacin susceptibility, 619
M. fortuitum, differentiation of *Mycobacterium chelonei* from, by ciprofloxacin susceptibility, 619
Mycoplasmacidal, the, properties of sodium hypochlorite, 243

Mycoplasma pneumoniae, the serological diagnosis of, infection: a comparison of complement fixation, haemagglutination and immunofluorescence, 345
Mycoplasma pulmonis, the interplay of host and organism factors in infection of the mouse genital tract by, 7
Mycoplasmas, demonstration of cross-reactive antigens in F38 and related, by enzyme-linked immunosorbent assay (ELISA) and immunoblotting, 95

Neonatal intensive care unit, serious infection in a: A two-year survey, 289

Operating theatres, ventilation conditions and air-borne bacteria and particles in: proposed safe economies, 325

Pig, biotypes and serotypes of thermophilic campylobacters isolated from cattle, sheep and, offal and other red meats, 1
Pig carcasses, a comparison of swab and maceration methods for bacteral sampling of, 383
Pigs, salmonellas in Danish: a comparison of three isolation methods, 69
Pigs, the effects of oxytetracycline on the intestinal *Escherichia coli* flora of newly weaned, 77
Pneumococcal carriage amongst Australian aborigines in Alice Springs, Northern Territory, 677

Rappaport-Vassiliadis medium, an evaluation of commercially available dehydrated, for the isolation of salmonella from poultry, 337
Rappaport-Vassiliadis, salmonella isolation with, enrichment medium seeded with different sized inocula of pre-enrichment cultures of meat products and sewage polluted water, 139
Rates of infection, the estimation of age-related, from case notifications and serological data, 419
Rats, field trials of a new sub-acute rodenticide flupropadine, against wild Norway, (Rattus norvegicus), 505
Red meats, biotypes and serotypes of thermophilic campylobacters isolated from cattle, sheep and pig offal and other, 1
Rift Valley fever virus (family Bunyaviridae, genus *Phlebovirus*). Isolations from Diptera collected during an inter-epizootic period in Kenya, 197
Rodenticide, field trials of a new sub-acute, flupropadine, against wild Norway rats (*Rattus norvegicus*), 505

Salmonellae, an evaluation of commercially available dehydrated Rappaport-Vassiliadis medium for the isolation of, from poultry, 337
Salmonella isolation with Rappaport-Vassiliadis enrichment medium seeded with different sized inocula of pre-enrichment cultures of meat products and sewage polluted water, 139
Salmonella java, utilization of *d*-tartaric acid by *Salmonella paratyphi B* and: comparison of anaerobic plate test, lead acetate test and turbidity, 107
Salmonella montevideo, an epidemiological study of, by biotyping, 23
Salmonella paratyphi B, utilization of *d*-tartaric acid by, and *Salmonella java*: comparison of anaerobic plate test, lead acetate test and turbidity test, 107
Salmonellas in Danish pigs: a comparison of three isolation methods, 69
Salmonella, the incidence and significance of, carriage by gulls (*Larus* spp.) in Scotland, 229
Sewage, salmonella isolation with Rappaport-Vassiliadis enrichment medium seeded with different sized inocula of pre-enrichment cultures of meat products and, polluted water, 139
Sheep, biotypes and serotypes of thermophilic campylobacters isolated from cattle, and pig offal and other red meats, 1
Shrimp, growth and enterotoxin production of *Staphylococcus aureus* in, 685
Sodium chlorite, the mycoplasmacidal properties of, 243
Staphylococcal enterotoxin A, the use of a sandwich ELISA for the detection of, in foods from outbreaks of food poisoning, 131
Staphylococci, the basic phage set for typing bovine, 665
Staphylococcus aureus, growth and enterotoxin production of, in shrimp, 685
Streptococci, the production of pyrogenic exotoxins by group A, 47
Streptococcal, persistent, throat infection in a preparatory school for boys, 671
Surgical gowns, the effect of, made with barrier cloth on bacterial dispersal, 123

Temocillin, binding to and antibacterial effect of aztreonam, gentamicin and tobramycin on human faeces, 255
Tobramycin, binding to and antibacterial effect of azetreonam, temocillin, gentamicin and, on human faeces, 255
Trimethoprim, transferable resistance to, in enteric pathogens isolated in Kuwait, 391
Tuberculous, superficial, lymphadenitis in Merseyside: 1969–1984, 115

Ureaplasmas, the ovine mammary gland as an experimental model to determine the virulence of animal, 375

Ventilation conditions and air-borne bacteria and particles in operating theatres: proposed safe economies, 325
Vibrio parahaemolyticus, survival of Kanagawa-positive strains of, in a brackish-water area, 299

THE JOURNAL OF HYGIENE